

GOVERNMENT OF WEST BENGAL
OFFICE OF THE DIRECTOR
Institute OF Post Graduate Medical Education & Research
244 , A.J.C. Bose Road , Kolkata - 700 020

Memo No. Inst/Store/Q / 7185

Dated: 29-1-18

NOTICE

Sealed quotations are invited from bonafide/interested firms with superscription "Quotation for Dept. of Bio-Chemistry vide memo no. Dated.....". The quotation should reach the office of the undersigned on or before **05/02/2018** by 2 pm . The quotation should accompany current valid trade Licence, PAN No., GST Registration Proof . The authorized representative of the firm may contact the Pharmacist of the IPGME&R Store if necessary .

Acceptance of the lowest rate is not obligatory for the undersigned who reserves the right to accept or reject any offer without assigning any reason whatsoever.

Rate must be submitted after calculating GST or other Taxes, if any according to the following format. The Quotation may be opened on 6/2/2018 onward, Bonafide/interested firm's representative may be contact with store.

Sl.no.	Name of the Articles	Company Name	Rate/Unit	Required
1	Vertical Electrophoresis set up with power pack (as per specification)			1 pc



Director
IPGME&R, Kolkata-20

Dated: 29-1-18

GOVERNMENT OF WEST BENGAL
OFFICE OF THE DIRECTOR
Institute OF Post Graduate Medical Education & Research
244 , A.J.C. Bose Road , Kolkata - 700 020

Memo No. Inst/Store/Q / 7186

Dated: 29-1-18

NOTICE

Sealed quotations are invited from bonafide/interested firms with superscription "Quotation for Dept. of Bio-Chemistry vide memo no. Dated..... ".The quotation should reach the office of the undersigned on or before **05/02/2018** by 2 pm . The quotation should accompany current valid trade Licence, PAN No., GST Registration Proof . The authorized representative of the firm may contact the Pharmacist of the IPGME&R Store if necessary .

Acceptance of the lowest rate is not obligatory for the undersigned who reserves the right to accept or reject any offer without assigning any reason whatsoever.

Rate must be submitted after calculating GST or other Taxes, if any according to the following format. The Quotation may be opened on 6/2/2018 onward, Bonafide/interested firm's representative may be contact with store.

Sl.no.	Name of the Articles	Company Name	Rate/Unit	Required
1	Water Bath , as per specification			2 or 3 pc
2	Digital Photometric colorimeter , as per specification			2 or 3 pc
3	LCD Projector , as per specification			1 pc



Director
IPGME&R, Kolkata-20

Dated: 29-1-18

Vertical Electrophoresis set up includes:

- Tank, lid with power cables, electrode assembly
- Mini cell buffer dam
- 2 casting stands with 4 casting frames
- Five sets of glass plates for 1.0 mm thick gels (five glass plates per box; 25 complete sets)
- Five 10-well combs and spacer
- Five gel releasers
- Gel plate size(WXL)- spacer plate size- 10.1cm X 8.2cm
- Dimension – WXLXH – 12cm X 16cm X 18cm
-

PowerPack

- The PowerPack Basic Power Supply is a high-quality power supply that offers simple programming, timer control, constant voltage or current output, and the ability to pause and resume a run. The PowerPack Basic Power Supply is intended for basic applications such as submerged horizontal and mini vertical gel electrophoresis but it also provides sufficient output to support the Mini Trans-Blot Cell

M. Mukhopadhyay
9/11/8

H O D
Deptt. Bio-Chemistry
IPGME & R/SSKM Hospital
Kolkata-700020

Water bath

Temperature Range (Metric) Ambient +13° to 110°C

- Convenient and easy – to- operate electronic temperature display and adjustment system
- Volume (Metric) Max. Bath 8L
- Voltage 100V
- Certifications/Compliance CE
- Hertz 50/60Hz
- Steel test tube racks/slots with diameter of hole 18 mm
- Each water bath should have at least 30 test tube slots of uniform size

Colorimeter

Digital Photometric colorimeter

Sample volume 1 ml

Long life broad spectrum LED light source (6 V)

8 optical filters to cover Wavelength 400nm to 700 nm

With 4-5 Cuvettes

Certifications: CE

LCD Projector

- **DLP OFFICE PROJECTOR:** With a bright 3300 ANSI lumens display, XGA resolution, and remarkable 13,000:1 contrast ratio, the eco-friendly projector beams magnificent presentations with sharp, crystal-clear images and incredible color accuracy and shadow details in small to medium size rooms,
- **LONG LASTING DLP PROJECTOR:** Up to 10,000 Hours Long Lamp Life
- **ENERGY EFFICIENT PROJECTOR:** Uses only 0.5W power in standby mode, and with SmartEco Power Saving Technology, power consumption is kept to a minimum
- **PORTABLE BUSINESS PROJECTOR:** Small form-factor and a variety of connection options, including HDMI and VGA x2 and USB port

M. M. K. Hopenly
HOD 01/11/18
Dept. Bio-Chemistry
IPGME & R/SSKM Hospital
Kolkata-700020