

GOVERNMENT OF WEST BENGAL
OFFICE OF THE DIRECTOR
Institute OF Post Graduate Medical Education & Research
244 , A.J.C. Bose Road , Kolkata - 700 020

Memo No. Inst/ 11

Dated: 01-04-19

Sealed quotations are invited from bonafide/interested firms with superscription " **Quotation for Vaccum Pump** vide memo no. Dated..... ". The quotation should reach the office of the undersigned on or before **11/04/2019 by 2 pm** . The quotation should accompany current trade Licence, PAN No., GST Registration Proof .

Quotation will Valid upto 3 months. from the date of approval & for better patient care service
The basic rate should be furnished inclusive Transportation Cost, Insurance, Testing & Incidental Charges **including others (if any)** of the instrument etc. but excluding of GST, which noted separate column as mentioned below.

Acceptance of the lowest rate is not obligatory for the undersigned who reserves the right to accept or reject any offer without assigning any reason whatsoever.
The Quotation may be opened on **16/04/2019** onward, Bonafide/interested firm's representative may be present in time of opening at the office of undersigned .

Sl.no.	Name of the Articles/Products	Name of the Brand (if any)	Rate/Unit	GST	Total
1	Vaccum Pump for electron microscopy tissue processing				

Specification of the Product:

Vacuum Pump - PTFE coated diaphragm 40 mbar
Max. air displacement : 38 LPM
Ultimate Vacuum : 40 mbar


Sd/-
Director
IPGME&R, Kolkata-20

Memo No. Inst/ 11/1(4)

Dated: 1.4.19

Copy forwarded for information and necessary action to:-

1. IT Cell, Department of Health and Family Welfare. Govt. Of West Bengal, Swasthya Bhawan, Kol-, with the request for publication of the Quotation Notice and Terms & Condition in the Govt Website.
2. The Medical Superintendent-cum-Vice Principal, SSKM Hospital, Kolkata
3. Notice Board of IPGME & R, Kolkata.
4. Smt. Barna Saha, Assistant Superintendent , SSKMH for uploading the notice in the web Site of IPGME & R, Kolkata .


Director

IPGME&R, Kolkata-20